


# “UNDULATING” CURTAIN SYSTEM

UNDULATING  
CURTAIN SYSTEM



# DECORATIVE "UNDULATING" CURTAIN SYSTEM PROFILE 7600 - MADE TO MEASURE



## DECORATIVE BRACKET

LENGTH / BRACKETS	REFERENCE STAINLESS STEEL	REFERENCE WHITE
UP TO 0.90 m. / 2 Bkts.	9050090	9062090
From 0.91 to 1.20 m. / 3 Bkts.	9050120	9062120
From 1.21 to 1.50 m. / 3 Bkts.	9050150	9062150
From 1.51 to 1.80 m. / 3 Bkts.	9050180	9062180
From 1.81 to 2.10 m. / 3 Bkts.	9050210	9062210
From 2.11 to 2.40 m. / 4 Bkts.	9050240	9062240
From 2.41 to 2.70 m. / 4 Bkts.	9050270	9062270
From 2.71 to 3.00 m. / 4 Bkts.	9050300	9062300
From 3.01 to 3.30 m. / 4 Bkts.	9050330	9062330
From 3.31 to 3.60 m. / 4 Bkts.	9050360	9062360
From 3.61 to 3.90 m. / 5 Bkts.	9050390	9062390

## TOP-FIX BRACKET

LENGTH / BRACKETS	REFERENCE STAINLESS STEEL	REFERENCE WHITE
UP TO 0.90 m. / 2 Bkts.	9058090	9087090
From 0.91 to 1.20 m. / 3 Bkts.	9058120	9087120
From 1.21 to 1.50 m. / 3 Bkts.	9058150	9087150
From 1.51 to 1.80 m. / 3 Bkts.	9058180	9087180
From 1.81 to 2.10 m. / 3 Bkts.	9058210	9087210
From 2.11 to 2.40 m. / 4 Bkts.	9058240	9087240
From 2.41 to 2.70 m. / 4 Bkts.	9058270	9087270
From 2.71 to 3.00 m. / 4 Bkts.	9058300	9087300
From 3.01 to 3.30 m. / 4 Bkts.	9058330	9087330
From 3.31 to 3.60 m. / 4 Bkts.	9058360	9087360
From 3.61 to 3.90 m. / 5 Bkts.	9058390	9087390

UP TO 3.00m. IN ONE PIECE. LONGER THAN THIS SIZE WILL BE WITH JOINING PIECE.



\*\* COLOUR: 06. WHITE 49. STAINLESS STEEL

COLOUR CODE: Where \*\*\*, substitute them with the required & available two digit colour code.

# "UNDULATING" CURTAIN SYSTEM PROFILE 7600 - MADE TO MEASURE



## PROFILE 7600. WHITE




LENGTH / BRACKETS	REFERENCE
UP TO 0.90 m. / 2 Bkts.	9030090
From 0.91 to 1.20 m. / 3 Bkts.	9030120
From 1.21 to 1.50 m. / 3 Bkts.	9030150
From 1.51 to 1.80 m. / 3 Bkts.	9030180
From 1.81 to 2.10 m. / 3 Bkts.	9030210
From 2.11 to 2.40 m. / 4 Bkts.	9030240
From 2.41 to 2.70 m. / 4 Bkts.	9030270
From 2.71 to 3.00 m. / 4 Bkts.	9030300
From 3.01 to 3.30 m. / 4 Bkts.	9030330
From 3.31 to 3.60 m. / 4 Bkts.	9030360
From 3.61 to 3.90 m. / 5 Bkts.	9030390

## PROFILE 7600. SILVER

LENGTH / BRACKETS	REFERENCE
UP TO 0.90 m. / 2 Bkts.	9031090
From 0.91 to 1.20 m. / 3 Bkts.	9031120
From 1.21 to 1.50 m. / 3 Bkts.	9031150
From 1.51 to 1.80 m. / 3 Bkts.	9031180
From 1.81 to 2.10 m. / 3 Bkts.	9031210
From 2.11 to 2.40 m. / 4 Bkts.	9031240
From 2.41 to 2.70 m. / 4 Bkts.	9031270
From 2.71 to 3.00 m. / 4 Bkts.	9031300
From 3.01 to 3.30 m. / 4 Bkts.	9031330
From 3.31 to 3.60 m. / 4 Bkts.	9031360
From 3.61 to 3.90 m. / 5 Bkts.	9031390


CENTRE GATHERING OR ONE WAY

Standard Cord-drop: 2.20m (Tracks supplied with top-fix brackets and cord-weight ref. 1224. Face-fix brackets supplied upon request and charged separately).



\*\* COLOUR CODE: 06. WHITE 32. GREY

# "UNDULATING" CURTAIN SYSTEM PROFILE 910 - MADE TO MEASURE



## P-910 UNDULATING SYSTEM CORDED

LENGTH / BRACKETS	REFERENCE
60 mm.. Spacing 1.00 m. / 2 Bkts.	1960604
60 mm. Spacing 1.50 m. / 3 Bkts.	0972604
60 mm. Spacing 2.00 m. / 3 Bkts.	0973604
60 mm. Spacing 2.50 m. / 4 Bkts.	0974604
60 mm. Spacing 3.00 m. / 4 Bkts.	0975604
60 mm. Spacing 3.50 m. / 4 Bkts.	0976604
60 mm. Spacing 4.00 m. / 5 Bkts.	0979604
80 mm. Spacing 1.00 m. / 2 Bkts.	1960804
80 mm. Spacing 1.50 m. / 3 Bkts.	0972804
80 mm. Spacing 2.00 m. / 3 Bkts.	0973804
80 mm. Spacing 2.50 m. / 4 Bkts.	0974804
80 mm. Spacing 3.00 m. / 4 Bkts.	0975804
80 mm Spacing 3.50 m. / 4 Bkts.	0976804
80 mm. Spacing 4.00 m. / 5 Bkts.	0979804

## P-910 UNDULATING SYSTEM UNCORDED

LENGTH / BRACKETS	REFERENCE
60 mm.. Spacing 1.00 m. / 2 Bkts.	2225604
60 mm. Spacing 1.50 m. / 3 Bkts.	1926604
60 mm. Spacing 2.00 m. / 3 Bkts.	1927604
60 mm. Spacing 2.50 m. / 4 Bkts.	1928604
60 mm. Spacing 3.00 m. / 4 Bkts.	1929604
60 mm. Spacing 3.50 m. / 4 Bkts.	1930604
60 mm. Spacing 4.00 m. / 5 Bkts.	2226604
80 mm. Spacing 1.00 m. / 2 Bkts.	2225804
80 mm. Spacing 1.50 m. / 3 Bkts.	1926804
80 mm. Spacing 2.00 m. / 3 Bkts.	1927804
80 mm. Spacing 2.50 m. / 4 Bkts.	1928804
80 mm. Spacing 3.00 m. / 4 Bkts.	1929804
80 mm Spacing 3.50 m. / 4 Bkts.	1930804
80 mm. Spacing 4.00 m. / 5 Bkts.	2226804

Standard Cord-drop: 2.20m (Tracks supplied with top-fix brackets. Face-fix brackets supplied upon request and charged separately).

 <p>PROF 910 (10 un.)</p> <p>1093060 (4 m.) 1092060 (3 m.)</p>	 <p>END-PULLEY "DROP"</p> <p>39</p> <p>7298060 (50 un.)</p>	 <p>INSERT PULLEY</p> <p>20</p> <p>7297400 (50 un.)</p>	 <p>END-STOP</p> <p>39</p> <p>0905060 (50 un.)</p>	
 <p>MASTER NO ARM</p> <p>46</p> <p>0951060 (50 un.)</p>	 <p>MASTER NO ARM "UNCORDED"</p> <p>46</p> <p>0953060 (50 un.)</p>	 <p>STRAIGHT ARM</p> <p>73</p> <p>0257060 (25 un.)</p>	 <p>CORD 2.5/2.8mm.</p> <p>2556060 (200 m.)</p>	 <p>TOP-FIX BKT., WITH PLATE</p> <p>33</p> <p>0993060 (50 un.)</p>
 <p>END-CAP</p> <p>24,5</p> <p>1508060 (50 un.)</p>	 <p>TENSION-PULLEY</p> <p>160</p> <p>0419060 (25 un.)</p>	 <p>CORTITEX TAPE 75/2. CLEAR</p> <p>0256201 (Roll 100 m.)</p>	 <p>GLIDER WITH CORD 80 mm. CHYC</p> <p>0232060 (100 m.)</p>	 <p>GLIDER WITH CORD 60 mm. CHYC</p> <p>0270060 (100 m.)</p>